




DUTCH TENDER SERVICE

- GREAT IN MARINE SUPPLYING -



INFORMATION ABOUT THE ANTEOS

SPECIFICATIONS, RATES, POSITIONS & MORE



SHIP DETAILS

ANTEOS



37 M
LENGTH



4.95 M
MOULDED DEPTH



466
GROSS TONNAGE



42 MT
CERTIFIED BOLLARD PULL



150 M²
CLEAR DECK AREA



100 MT
FW TANK CAPACITY



150 MT
MGO TANK CAPACITY

SPECIFICATIONS

MAIN PARTICULARS

LENGTH (LOA):	37.0 MTR
BEAM:	11.4 MTR
DRAFT (MAX):	4.35 MTR
DEPT MOULDED:	4.95 MTR
GROSS TONNAGE:	466 MT
DEADWEIGHT:	364 MT
BOLLARD PULL:	42 TON
FLAG:	DUTCH
CLASSIFICATION:	RINA X A1 TOWING VESSEL (E), XAMS
BUILT:	CHINA 2000, UPGRADED 2010

POWER & PROPULSION

M/E CAT 3512B, EACH 1,575 BHP (YEAR 2009):	2 X
REINTJES WAF772 REDUCTION GEARS:	2 X
MIKADO NIALBR PROPS IN KORT NOZZLES:	2 X
RUDDER (LINKED):	2 X
BOW THRUSTER, ULSTEIN 45-TV, 3.7 TONS:	1 X
G/E DETROIT DIESEL 8V-92TA EACH 300 KW:	3 X

DECK EQUIPMENT & DIMENSIONS

TWIN ANCHOR WINDLASS & MOORING WINCH:	1 X
STOCKLESS ANCHORS (EACH 680 KG):	2 X
220 MTR STUD LINK ANCHOR CHAIN:	2 X
TOWING PINS SWL 100 MTR:	1 X
KARMFORK SWL 100 MTR (INCL. VARIOUS INSERTS)	1 X
TUGGER WINCH 10 MTR PULL @ 14 MTR / MIN:	1 X
WIRE STORAGE REELS 6 MTR PULL @ 12 MTR / MIN:	2 X
STERN ROLLER SWL 200 MTR:	1 X
DECK CRANE SWL 1,63 MT AT 10 MTR	1 X
CLEAR DECK AREA:	150M ²
DECK STRENGTH	5 T / M ²
TOTAL SPACE EURO PALLETS:	145 PC
TOTAL SPACE IBC CONTAINER:	125
TOTALS PACE 20 FEET CONTAINERS	3
10 FEET REEFER CONTAINER	1 X

TANK CAPACITIES & TRANSFER RATES

FUEL (MGO):	ABT. 245 MT
FUEL TRANSFER:	50 M3 @ 60 MT
FRESH WATER:	ABT. 100 MT
WATER TRANSFER:	36 M3 @ 50 MT

LIFESAVING EQUIPMENT

LIFE SAVING APPLIANCES FOR:	26 PERSONS
ACCOMMODATION FOR:	14 PERSONS

SPEED & CONSUMPTION

MAX SPEED (FREE RUNNING):	13.0 KNTS
CONSUMPTION ON MAX SPEED :	10 T / 24 H
CONSUMPTION ON ECONOMY SPEED:	5 T / 24 H
AUXILIARY PORT CONSUMPTION:	0.5 T / 24 H

COMPLETE TOWING AND SALVAGE EQUIPMENT	
GRAPNEL SWL 150 MTR:	1 X
DOUBLE DRUM TOWING WINCH (SIDE – BY SIDE):	1 X
- 50 MTR PULL @ 0 ~13 M / MIN	
- 128 MTR BRAKE HOLDING (1 ST LAYER)	
- 750 TOWING WIRE (52 MM):	1 X
- 750 SPARE TOWING WIRE (52 MM):	1 X
- 300 MTR WORK WIRE (48 MM):	1 X



